





Faculty Feedback

Academic Year : 2023-24

Total No. of Faculties participated in the survey: 98



1. The Vision, Mission of the institute and department are clearly known.

Strongly Agree [4] =71.58% Agree [3] =28.42% Disagree [2] =0 Strongly disagree [1] =0





2. Aims and objectives of the curriculum are well defined and clear to the teachers and students.

Strongly Agree [4] =64.21% Agree [3] =35.79% Disagree [2] =0 Strongly disagree [1] =0





3. The course/programme of studies carries sufficient number of relevant elective papers.

Strongly Agree [4] =38.95% Agree [3] =56.84% Disagree [2] =4.21% Strongly disagree [1] =0





4. Curriculum has adequate academic flexibility

Strongly Agree [4] =33.68% Agree [3] =51.58% Disagree [2] =14.74% Strongly disagree [1] =0





5. The course content fulfils the need of students and industry.

Strongly Agree [4] =26.32% Agree [3] =63.16% Disagree [2] =10.53% Strongly disagree [1] =0





6. Need to fully review the syllabus.

Strongly Agree [4] =14.74% Agree [3] =52.63% Disagree [2] =31.58% Strongly disagree [1] =1.05%





7. Institute provides adequate opportunities for continuous development of its

Staff. Strongly Agree [4] =53.68% Agree [3] =46.32% Disagree [2] =0 Strongly disagree [1] =0





8. Equal opportunities for all staff are provided.

Strongly Agree [4] =46.32% Agree [3] =46.32% Disagree [2] =7.37% Strongly disagree [1] =0





9. Institute has adequate medical facilities and is equipped to handle medical and other emergencies.

Strongly Agree [4] =38.95% Agree [3] =57.89% Disagree [2] =3.16% Strongly disagree [1] =0





10. Faculty rooms, corridors, toilets, laboratory, playground, classrooms are regularly

cleaned and well maintained. Strongly Agree [4] =26.32% Agree [3] =46.32% Disagree [2] =22.11% Strongly disagree [1] =5.26%





11.Clean drinking water is available.

Strongly Agree [4] =48.42% Agree [3] =45.26% Disagree [2] =6.32% Strongly disagree [1] =0



12. Laboratory requirements including equipment/ Software are regularly provided.

Strongly Agree [4] =50.53% Agree [3] =46.32% Disagree [2] =3.16% Strongly disagree [1] =0



Summary

Strongly Agree: 42.81% Agree: 48.07% Disagree: 8.6% Strongly disagree: 0.53%

This is a computer generated statement and does not require a signature.